

42117 Wuppertal

Date printed 19.04.2024, Revision 01.03.2024

Version 13.1. Supersedes version: 13.0 Page 1 / 14

SLU	TION 1: Identification of the subst	tance/mixture and of the company/undertaking			
1.1 Product identifier					
		automatic transmission fluid (ATF) Article number: 20 93 2600, 20 93 2605, 33 11 1638			
1.2	1.2 Relevant identified uses of the substance or mixture and uses advised against				
1.2.	Relevant uses				
		Lubricant			
1.2.2	2 Uses advised against				
		None known.			
1.3	Details of the supplier of the safe	ety data sheet			
	Company	SWAG Autoteile GmbH Am Kiesberg 4-6 42117 Wuppertal / GERMANY Phone +49 (0)202 26454-0 Fax +49 (0)202 26454-5000 Homepage www.swag.de E-mail info@swag.de			
	Address enquiries to				
	Technical information	info@swag.de			
	Safety Data Sheet	info@swag.de			
1.4	Emergency telephone number				
	Advisory body	+49 (0)89-19240 (24h) (English)			
SEC	TION 2: Hazards identification				
2.1					
	Classification of the substance of	or mixture [REGULATION (GB) CLP] Aquatic Chronic 3: H412 Harmful to aquatic life with long lasting effects.			
2.2	Label elements				
2.2					
2.2	Label elements Hazard pictograms	Aquatic Chronic 3: H412 Harmful to aquatic life with long lasting effects. The product is required to be labelled in accordance with regulation CLP.			
2.2	Label elements Hazard pictograms Hazard statements	Aquatic Chronic 3: H412 Harmful to aquatic life with long lasting effects. The product is required to be labelled in accordance with regulation CLP. H412 Harmful to aquatic life with long lasting effects.			
2.2	Label elements Hazard pictograms	Aquatic Chronic 3: H412 Harmful to aquatic life with long lasting effects. The product is required to be labelled in accordance with regulation CLP.			
2.2 2.3	Label elements Hazard pictograms Hazard statements	 Aquatic Chronic 3: H412 Harmful to aquatic life with long lasting effects. The product is required to be labelled in accordance with regulation CLP. H412 Harmful to aquatic life with long lasting effects. P273 Avoid release to the environment. P501 Dispose of contents/container to approved disposal company or municipal collection 			
	Label elements Hazard pictograms Hazard statements Precautionary statements	 Aquatic Chronic 3: H412 Harmful to aquatic life with long lasting effects. The product is required to be labelled in accordance with regulation CLP. H412 Harmful to aquatic life with long lasting effects. P273 Avoid release to the environment. P501 Dispose of contents/container to approved disposal company or municipal collection 			
	Label elements Hazard pictograms Hazard statements Precautionary statements Other hazards	Aquatic Chronic 3: H412 Harmful to aquatic life with long lasting effects. The product is required to be labelled in accordance with regulation CLP. H412 Harmful to aquatic life with long lasting effects. P273 Avoid release to the environment. P501 Dispose of contents/container to approved disposal company or municipal collection point.			
	Label elements Hazard pictograms Hazard statements Precautionary statements Other hazards Physico-chemical hazards	Aquatic Chronic 3: H412 Harmful to aquatic life with long lasting effects. The product is required to be labelled in accordance with regulation CLP. H412 Harmful to aquatic life with long lasting effects. P273 Avoid release to the environment. P501 Dispose of contents/container to approved disposal company or municipal collection point. No particular hazards known.			
	Label elements Hazard pictograms Hazard statements Precautionary statements Other hazards Physico-chemical hazards Human health dangers	Aquatic Chronic 3: H412 Harmful to aquatic life with long lasting effects. The product is required to be labelled in accordance with regulation CLP. H412 Harmful to aquatic life with long lasting effects. P273 Avoid release to the environment. P501 Dispose of contents/container to approved disposal company or municipal collection point. No particular hazards known. Frequent persistent contact with the skin can cause skin irritation. Does not contain any PBT or vPvB substances.			

3.1 Substances

not applicable



Date printed 19.04.2024, Revision 01.03.2024

Version 13.1. Supersedes version: 13.0 Page 2 / 14

3.2 Mixtures

The product is a mixture.

Range [%]	Substance
25 - 50	Distillates (petroleum), hydrotreated light paraffinic
	CAS: 64742-55-8, EINECS/ELINCS: 265-158-7, EU-INDEX: 649-468-00-3, Reg-No.: 01-2119487077-29-XXXX
	GHS/CLP: Asp. Tox. 1: H304
1 - < 2,5	Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich
	CAS: 398141-87-2, EINECS/ELINCS: 800-172-4, Reg-No.: 01-2119969520-35-XXXX
	GHS/CLP: Aquatic Chronic 2: H411
0,01 - < 0,25	C16-18-(even numbered, saturated and unsaturated)-alkylamines
	CAS: 1213789-63-9, EINECS/ELINCS: 627-034-4, Reg-No.: 01-2119473797-19-XXXX
	GHS/CLP: Acute Tox. 4: H302 - Asp. Tox. 1: H304 - Skin Corr. 1B: H314 - Eye Dam. 1: H318 - STOT SE 3: H335 - STOT RE 2: H373 - Aquatic Acute 1: H400 - Aquatic Chronic 1: H410, M-Factor (acute): 10, M-Factor (chronic): 10
0,01 - < 0,25	Alkyl thiophosphites
	EINECS/ELINCS: 424-820-7, Reg-No.: 01-0000017126-75-xxxx
	GHS/CLP: Skin Corr. 1B: H314 - Acute Tox. 4: H312 - Aquatic Chronic 1: H410 - Aquatic Acute 1: H400, M-Factor (chronic): 10

For full text of H-statements: see SECTION 16. Contains less than 3% w/w DMSO-extract (only for mineral oils)

SECTION 4: First aid measures

Description of first aid measures General information	Take off contaminated clothing and wash before reuse.
Inhalation	Ensure supply of fresh air.
	In the event of symptoms seek medical treatment.
Skin contact	When in contact with the skin, clean with soap and water. Consult a doctor if skin irritation persists.
Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion	Do not induce vomiting. Seek medical advice immediately. Rinse out mouth and give plenty of water to drink.
	General information Inhalation Skin contact Eye contact

4.2 Most important symptoms and effects, both acute and delayed

Irritant effects

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Forward this sheet to your doctor.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media Suitable extinguishing media Foam, dry powder, water spray jet, carbon dioxide. Extinguishing media that must not be used Full water jet.

5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products. Carbon monoxide (CO) Sulphur oxides (SOx).



Date printed 19.04.2024, Revision 01.03.2024

Version 13.1. Supersedes version: 13.0 Page 3 / 14

5.3 Advice for firefighters				
		Do not inhale explosion and/or combustion gases. Use self-contained breathing apparatus.		
		Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.		
SEC	TION 6: Accidental release measur	res		
6.1 Personal precautions, protective equipment and emergency procedures				
		Some risk of slipping due to spillage of product. Forms slippery surfaces with water. Use personal protective equipment.		
6.2 Environmental precautions				
		Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater.		
6.3	5.3 Methods and material for containment and cleaning up			
		Take up with absorbent material (e.g. oil binder). Dispose of absorbed material in accordance within the regulations.		
6.4	Reference to other sections			
		See SECTION 8+13		
SEC	TION 7: Handling and storage			
SEC 7.1	TION 7: Handling and storage Precautions for safe handling			
		No special measures necessary if used correctly. Use only in well-ventilated areas. Use solvent-resistant equipment.		
		Use only in well-ventilated areas.		
		Use only in well-ventilated areas. Use solvent-resistant equipment.		
		Use only in well-ventilated areas. Use solvent-resistant equipment. The product is combustible. Do not eat, drink or smoke when using this product. After worktime and before work breaks the affected skin areas must be thoroughly cleaned. Use barrier skin cream. Cloths contaminated with product should not be kept in trouser pockets. Contaminated work clothing should not be allowed out of the workplace. Take off contaminated clothing and wash before reuse.		
7.1	Precautions for safe handling	Use only in well-ventilated areas. Use solvent-resistant equipment. The product is combustible. Do not eat, drink or smoke when using this product. After worktime and before work breaks the affected skin areas must be thoroughly cleaned. Use barrier skin cream. Cloths contaminated with product should not be kept in trouser pockets. Contaminated work clothing should not be allowed out of the workplace. Take off contaminated clothing and wash before reuse.		
7.1	Precautions for safe handling	Use only in well-ventilated areas. Use solvent-resistant equipment. The product is combustible. Do not eat, drink or smoke when using this product. After worktime and before work breaks the affected skin areas must be thoroughly cleaned. Use barrier skin cream. Cloths contaminated with product should not be kept in trouser pockets. Contaminated work clothing should not be allowed out of the workplace. Take off contaminated clothing and wash before reuse. Iding any incompatibilities Keep only in original container.		
7.1	Precautions for safe handling	Use only in well-ventilated areas. Use solvent-resistant equipment. The product is combustible. Do not eat, drink or smoke when using this product. After worktime and before work breaks the affected skin areas must be thoroughly cleaned. Use barrier skin cream. Cloths contaminated with product should not be kept in trouser pockets. Contaminated work clothing should not be allowed out of the workplace. Take off contaminated clothing and wash before reuse. Holing any incompatibilities Keep only in original container. Prevent penetration into the ground.		
7.1	Precautions for safe handling	Use only in well-ventilated areas. Use solvent-resistant equipment. The product is combustible. Do not eat, drink or smoke when using this product. After worktime and before work breaks the affected skin areas must be thoroughly cleaned. Use barrier skin cream. Cloths contaminated with product should not be kept in trouser pockets. Contaminated work clothing should not be allowed out of the workplace. Take off contaminated clothing and wash before reuse. Inding any incompatibilities Keep only in original container. Prevent penetration into the ground. Do not store together with oxidizing agents. Keep container in a well-ventilated place.		



Date printed 19.04.2024, Revision 01.03.2024



Version 13.1. Supersedes version: 13.0 Page 4 / 14

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (UK)

Substance
Distillates (petroleum), hydrotreated light paraffinic
CAS: 64742-55-8, EINECS/ELINCS: 265-158-7, EU-INDEX: 649-468-00-3, Reg-No.: 01-2119487077-29-XXXX
Long-term exposure: 5 mg/m ³ , ACGIH TLV (OIL MIST)

Ingredients with occupational exposure limits to be monitored EU (2004/37/EG)

not relevant

DNEL

Alkyl thiophosphites	
ndustrial, inhalative, Long-term - systemic effects, 1,76 mg/m ³	
ndustrial, dermal, Long-term - systemic effects, 0,5 mg/kg bw/day	
general population, inhalative, Long-term - systemic effects, 0,43 mg/m ³	
general population, dermal, Long-term - systemic effects, 0,25 mg/kg bw/day	
general population, oral, Long-term - systemic effects, 0,25 mg/kg bw/day	
Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8	
ndustrial, inhalative, Long-term - systemic effects, 2,73 mg/m ³	
ndustrial, inhalative, Long-term - local effects, 5,58 mg/m ³	
ndustrial, dermal, Long-term - systemic effects, 0,97 mg/kg bw/day	
general population, oral, Long-term - systemic effects, 0,74 mg/kg bw/day	
Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich, CAS: 398141-87-2	
ndustrial, inhalative, Long-term - systemic effects, 24.7 mg/m ³	
ndustrial, dermal, Long-term - systemic effects, 350 mg/kg bw/day	
general population, inhalative, Long-term - systemic effects, 4.35 mg/m ³	
general population, dermal, Long-term - systemic effects, 125 mg/kg bw/day	-
general population, oral, Long-term - systemic effects, 2.5 mg/kg bw/day	
C16-18-(even numbered, saturated and unsaturated)-alkylamines, CAS: 1213789-63-9	
ndustrial, inhalative, Long-term - local effects, 1 mg/m ³	
ndustrial, inhalative, Acute - local effects, 1 mg/m ³	
ndustrial, inhalative, Long-term - systemic effects, 0,38 mg/m ³	
general population, inhalative, Long-term - systemic effects, 0,035 mg/m ³	
general population, oral, Long-term - systemic effects, 40 μg/kg bw/d	

PNEC

Substance
Alkyl thiophosphites
reshwater, 900 ng/l
eawater, 90 ng/l
ewage treatment plants (STP), 54 mg/l
ediment (freshwater), 0,073 mg/kg
ediment (seawater), 0,007 mg/kg
oil, 0,015 mg/kg
oral (food), 10 mg/kg
Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8



Date printed 19.04.2024, Revision 01.03.2024

Version 13.1. Supersedes version: 13.0 Page 5 / 14

Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich, CAS: 398141-87-2	
reshwater, 2.4 μg/L	
seawater, 330 ng/L	
sewage treatment plants (STP), 100 mg/L	
sediment (freshwater), 433 µg/kg sediment dw	
sediment (seawater), 59.6 µg/kg sediment dw	
soil, 85.3 µg/kg soil dw	
oral (food), 111.11 mg/kg food	
C16-18-(even numbered, saturated and unsaturated)-alkylamines, CAS: 1213789-63-9	
reshwater, 0,26 μg/L	
seawater, 0,026 μg/L	
sewage treatment plants (STP), 550 μg/L	
sediment (freshwater), 3,76 mg/kg dw	
sediment (freshwater), 0,376 mg/kg dw	
soil, 10 mg/kg dw	-

8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation. General exposure limit for oil mist should be noted. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
Eye protection	Safety glasses. (EN 166:2001)
Hand protection	The details concerned are recommendations. Please contact the glove supplier for further information. > 0,4 mm: Nitrile rubber, >480 min (EN 374-1/-2/-3). > 0,4 mm: Neoprene, >480 min (EN 374-1/-2/-3).
Skin protection	Light protective clothing.
Other	Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Do not inhale gases/vapours/aerosols. Avoid contact with eyes and skin.
Respiratory protection	not applicable
Thermal hazards	No information available.
Delimitation and monitoring of the environmental exposition	Comply with applicable environmental regulations limiting discharge to air, water and soil.



Date printed 19.04.2024, Revision 01.03.2024

Version 13.1. Supersedes version: 13.0 Page 6 / 14

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Form	liquid
Color	red
Odor	characteristic
Odour threshold	No information available.
pH-value	not applicable
pH-value [1%]	not applicable
Boiling point or initial boiling point and boiling range [°C]	No information available.
Flash point [°C]	210 (EN ISO 2592)
Flammability	No information available.
Lower explosion limit	No information available.
Upper explosion limit	No information available.
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	No information available.
Density [g/cm ³]	0,84 (DIN 51757) (15 °C / 59,0 °F)
Relative density	not determined
Bulk density [kg/m³]	not applicable
Solubility in water	immiscible
Solubility other solvents	No information available.
Partition coefficient n-octanol/water (log value)	No information available.
Kinematic viscosity	29 mm²/s 40°C (DIN 51562)
Relative vapour density	No information available.
Melting point [°C]	No information available.
Auto-ignition temperature [°C]	not applicable
Decomposition temperature [°C]	No information available.
Particle characteristics	No information available.
Other information	

9.2 Other information

No information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with strong oxidizing agents.

10.4 Conditions to avoid

No special measures necessary.





Version 13.1. Supersedes version: 13.0 Page 7 / 14

10.5 Incompatible materials

Strong oxidizing agent. Strong basic compounds Strong acids.

10.6 Hazardous decomposition products

No hazardous decomposition products known.



Date printed 19.04.2024, Revision 01.03.2024



Version 13.1. Supersedes version: 13.0 Page 8 / 14

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

Product oral, Based on the available information, the classification criteria are not fulfilled.

Substance	
Alkyl thiophosphites	
.D50, oral, Rat, > 2000 mg/kg	
Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8	
.D50, oral, Rat, 5000 mg/kg bw	
Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich, CAS: 398141-87-2	
.D50, oral, Rat, 10 mL/kg bw	
C16-18-(even numbered, saturated and unsaturated)-alkylamines, CAS: 1213789-63-9	
.D50, oral, Rat, 1200 - 2000 mg/kg bw	

Acute dermal toxicity

Product

dermal, Based on the available information, the classification criteria are not fulfilled.

Substance
Alkyl thiophosphites
LD50, dermal, Rabbit, > 500 mg/kg
Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8
LD50, dermal, Rabbit, > 2000 - 5000 mg/kg bw
Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich, CAS: 398141-87-2
LD10, dermal, Rabbit, 4000 - 8000 mg/kg bw
C16-18-(even numbered, saturated and unsaturated)-alkylamines, CAS: 1213789-63-9
LD50, dermal, Rat, > 2000 mg/kg bw

Acute inhalational toxicity

Product

inhalative, Based on the available information, the classification criteria are not fulfilled.

Substance

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8

LC50, inhalative, Rat, 2,18 - 5,53 mg/L air 4h, 4h

Serious eye damage/irritation

Based on the available information, the classification criteria are not fulfilled.

Substance	
Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8	
Eye, non-irritating	
C16-18-(even numbered, saturated and unsaturated)-alkylamines, CAS: 1213789-63-9	
Eye, Causes serious eye damage.	

Skin corrosion/irritation

Based on the available information, the classification criteria are not fulfilled.

Substance



Date printed 19.04.2024, Revision 01.03.2024

Version 13.1. Supersedes version: 13.0 Page 9 / 14

Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8
dermal, non-irritating
C16-18-(even numbered, saturated and unsaturated)-alkylamines, CAS: 1213789-63-9
dermal, corrosive

Respiratory or skin sensitisation Based on the available information, the classification criteria are not fulfilled.

Substance
Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8
dermal, non-sensitizing
C16-18-(even numbered, saturated and unsaturated)-alkylamines, CAS: 1213789-63-9
dermal, non-sensitizing
inhalative, non-sensitizing

Specific target organ toxicity -Based on the available information, the classification criteria are not fulfilled. single exposure

Substance
Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8
inhalative, no adverse effect observed
C16-18-(even numbered, saturated and unsaturated)-alkylamines, CAS: 1213789-63-9
inhalative, irritant

Specific target organ toxicity repeated exposure

Based on the available information, the classification criteria are not fulfilled.

Substance	
Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8	
NOAEC, inhalative, Rat, 980 mg/m ³ (subacute), no adverse effect observed	
LOAEL, dermal, mouse, 100 mg/kg bw/day (chronic), The effects observed are not sufficient for classification.	
LOAEL, oral, Rat, 125 mg/kg bw/day, The effects observed are not sufficient for classification.	
Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich, CAS: 398141-87-2	
NOAEC, oral, Rat, 100 - 500 mg/kg bw/day	

Mutagenicity

Based on the available information, the classification criteria are not fulfilled.

Substance
Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8
in vitro, negativ

Reproduction toxicity

Based on the available information, the classification criteria are not fulfilled.

medicinal professions, experts for occupational health and safety and toxicologists.

- Fertility

Substance
Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8
NOAEL, oral, Rat, 1000 mg/kg bw/d, no adverse effect observed

- Development	No information available.	
Carcinogenicity	Based on the available information, the classification criteria are not fulfilled.	
Aspiration hazard	Based on the available information, the classification criteria are not fulfilled.	
General remarks		
	Toxicological data of complete product are not available. The toxicity data listed pertaining to the ingredients are intended for those working in the	

42117 Wuppertal

SWAG®

Date printed 19.04.2024, Revision 01.03.2024

Version 13.1. Supersedes version: 13.0 Page 10 / 14

11.2 Information on other hazard	ds
11.2.1 Endocrine disrupting properties	Contains no ingredients with endocrine-disrupting properties.
11.2.2 Other information	none

SECTION 12: Ecological information

12.1 Toxicity

Product Based on the available information, the classification criteria are not fulfilled.

Substance
Alkyl thiophosphites
EL50, (48h), Daphnia magna, 0,09 mg/l
EL50, (72h), Selenastrum capricornutum, 0,31 mg/l
LL50, (21d), Daphnia magna, 0,22 mg/l
LL50, (24h), Oncorhynchus mykiss, 2 mg/l
Distillates (petroleum), hydrotreated light paraffinic, CAS: 64742-55-8
NOELR, (14d), fish, 1 g/L
LL50, (96h), Invertebrates, 10 g/L
LL50, (96h), fish, 100 mg/L
Thiophene, tetrahydro-, 1,1-dioxide, 3-(C9-11-isoalkyloxy) derivs., C10-rich, CAS: 398141-87-2
EC50, (48h), Daphnia magna, 4,6 mg/l (OECD 202)
NOELR, (72h), Algae, 313 µg/L
LL50, (96h), Oncorhynchus mykiss, 2,4 mg/l (OECD 203)
C16-18-(even numbered, saturated and unsaturated)-alkylamines, CAS: 1213789-63-9
LC50, (96h), fish, 60 - 4210 μg/L
EC50, (48h), Invertebrates, 320 - 980 μg/L
EC50, (72h), Algae, 80 - 460 μg/L
NOEC, (21d), Invertebrates, 13 µg/L

12.2 Persistence and degradability

Behaviour in environment compartments	not determined
Behaviour in sewage plant	not determined
Biological degradability	not determined

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Endocrine disrupting properties

Contains no ingredients with endocrine-disrupting properties.



Date printed 19.04.2024, Revision 01.03.2024

Version 13.1. Supersedes version: 13.0 Page 11 / 14

12.7 Other adverse effects

Ecological data of complete product are not available. Do not discharge product unmonitored into the environment or into the drainage.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

	In according to RoHS! Disposal in an incineration plant in accordance with the regulations of the local authorities.
Waste no. (recommended)	130205* mineral-based non-chlorinated engine, gear and lubricating oils
Contaminated packaging	
	Uncontaminated packaging may be taken for recycling. Packaging that cannot be cleaned should be disposed of as for product.
Waste no. (recommended)	150110* packaging containing residues of or contaminated by hazardous substances 150102 150104

SECTION 14: Transport information

14.1	UN	number	or ID) number
------	----	--------	-------	----------

Transport by land according to ADR/RID	not applicable
Inland navigation (ADN)	not applicable
Marine transport in accordance with	not applicable

Air transport in accordance with IATA not applicable

14.2 UN proper shipping name

IMDG

Transport by land according to ADR/RID	NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS" IMDG

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

42117 Wuppertal

Date printed 19.04.2024, Revision 01.03.2024



Version 13.1. Supersedes version: 13.0 Page 12 / 14

14.3	Transport hazard class(es)	
	Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable
14.4	Packing group	
	Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable
14.5	Environmental hazards	
	Transport by land according to ADR/RID	no
	Inland navigation (ADN)	no
	Marine transport in accordance with IMDG	no
	Air transport in accordance with IATA	no
14.6	Special precautions for user	

Relevant information under SECTION 6 to 8.

14.7 Maritime transport in bulk according to IMO instruments

not applicable



Version 13.1. Supersedes version: 13.0 Page 13 / 14

Date printed 19.04.2024, Revision 01.03.2024

SECTION 15: Regulatory information

15.1	Safety, health and environmental	regulations/legislation specific for the substance or mixture
	EEC-REGULATIONS	2008/98/EG (2000/532/EC); 2010/75/EU; 2004/42/EG; (EG) 648/2004; (EC) 1907/2006 (REACH); (EU) 1272/2008; 75/324/EWG ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131; (EU) 517/2014; (EU) 2019/1148; (EU) 2019/1021, (EU) 2023/707
	- Comment on component parts	Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.
	- Annex I (REACH)	The product is not subject to Annex I restrictions.
	- Annex XIV (REACH)	According to Annex XIV of Regulation (EC) 1907/2006 (REACH) the product does not contain any substances \geq 0.1% that are subject to authorisation.
	- Annex XVII (REACH)	According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product contains $\ge 0.1\%$ of substances with the following restrictions. 75
		According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product is subject to the following restrictions. 3
	TRANSPORT-REGULATIONS	ADR (2023); IMDG-Code (2023, 41. Amdt.); IATA-DGR (2024)
	NATIONAL REGULATIONS (UK):	EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK REACH; GB CLP.
	- Observe employment restrictions for people	no
	- VOC (2010/75/CE)	not relevant
15.2	Chemical safety assessment	
		For this product a chemical safety assessment has not been carried out.
SEC	TION 16: Other information	
16.1	Hazard statements (SECTION 3)	
		H312 Harmful in contact with skin.
		H410 Very toxic to aquatic life with long lasting effects. H400 Very toxic to aquatic life. H373 May cause damage to organs through prolonged or repeated exposure. H335 May cause respiratory irritation. H318 Causes serious eye damage. H314 Causes severe skin burns and eye damage.

H302 Harmful if swallowed.

H411 Toxic to aquatic life with long lasting effects.

H304 May be fatal if swallowed and enters airways.



Date printed 19.04.2024, Revision 01.03.2024

Version 13.1. Supersedes version: 13.0 Page 14 / 14

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

ATE = acute toxicity estimate

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level

DNEL = Derived No Effect Level

EC50 = Median effective concentration

ECB = European Chemicals Bureau

EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

EL50 = Median effective loading

ELINCS = European List of Notified Chemical Substances

EmS = Emergency Schedules

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk

IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

IUCLID = International Uniform ChemicaL Information Database

IVIS = In vitro irritation score

LC50 = Lethal concentration, 50%

LD50 = Median lethal dose

LC0 = lethal concentration, 0%

LOAEL = lowest-observed-adverse-effect level

LL50 = Median lethal loading

LQ = Limited Quantities

MARPOL = International Convention for the Prevention of Marine Pollution from Ships NOAEL = No Observed Adverse Effect Level

NOEC = No Observed Effect Concentration

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

STP = Sewage Treatment Plant

TLV®/TWA = Threshold limit value - time-weighted average

TLV®STEL = Threshold limit value - short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

16.3 Other information

Aquatic Chronic 3: H412 Harmful to aquatic life with long lasting effects. ()

Modified position

Classification procedure

none