

according to UK REACH Regulation

VAICO Bremsenreiniger 60L

Revision date: 16.05.2023

Product code: 1901041

Page 1 of 11

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

VAICO Bremsenreiniger 60L - V60-0485

REACH Registration Number: CAS 01-2119475514-35-XXXX No: 92128-66-0 EC No: 921-024-6

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

## Use of the substance/mixture

Cleaner

## 1.3. Details of the supplier of the safety data sheet

Company name:	VIEROL AG	
Street: Place: Telephone: E-mail:	Karlstraße 19 26123 Oldenburg +49 (0) 441 21020-0 info@vierol.com	Telefax:+49 (0) 441 21020-111
1.4. Emergency telephone number:	+49 (0) 8171 1600-0 during busine CET)	ess hours 7am – 5pm (Central European Time,

number:

**SECTION 2: Hazards identification** 

## 2.1. Classification of the substance or mixture

#### **GB CLP Regulation**

Flam. Liq. 2; H225 Skin Irrit. 2; H315 STOT SE 3; H336 Asp. Tox. 1; H304 Aquatic Chronic 2; H411

Full text of hazard statements: see SECTION 16.

Danger

## 2.2. Label elements

#### **GB CLP Regulation**

#### Hazard components for labelling

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane

Signal word: **Pictograms:** 

#### Hazard statements

H225	Highly flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H411	Toxic to aquatic life with long lasting effects.

#### Precautionary statements

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No
	smoking.
P233	Keep container tightly closed.





according to UK REACH Regulation

## VAICO Bremsenreiniger 60L

Revision date: 16.05.2023	Product code: 1901041	Page 2 of 11
P243	Take action to prevent static discharges.	
P261	Avoid breathing vapours.	
P271	Use only outdoors or in a well-ventilated area.	
P273	Avoid release to the environment.	
P280	Wear protective gloves.	
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor.	
P331	Do NOT induce vomiting.	
P302+P352	IF ON SKIN: Wash with plenty of water.	
P332+P313	If skin irritation occurs: Get medical advice/attention.	
P304+P312	IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell.	

#### 2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII. This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

## **SECTION 3: Composition/information on ingredients**

## 3.1. Substances

## **Relevant ingredients**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
	Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane			
	921-024-6		01-2119475514-35-XXXX	
	Flam. Liq. 2, Skin Irrit. 2, STOT SE 3, Asp. Tox. 1, Aquatic Chronic 2; H225 H315 H336 H304 H411			

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity			
	Specific Conc. Limits, M-factors and ATE					
	921-024-6	Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane	50 - < 100 %			
	inhalation: LC5 5000 mg/kg	0 = > 25,2 mg/l (vapours); dermal: LD50 = > 2800 - 3100 mg/kg; oral: LD50 = >				

Labelling for contents according to Regulation (EC) No 648/2004

>= 30 % aliphatic hydrocarbons.

#### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

#### **General information**

First aider: Pay attention to self-protection! Remove persons to safety. Never give anything by mouth to an unconscious person or a person with cramps.

## After inhalation

Remove person to fresh air and keep comfortable for breathing. In all cases of doubt, or when symptoms persist, seek medical advice.

#### After contact with skin

Wash with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In all cases of doubt, or when symptoms persist, seek medical advice.

## After contact with eyes

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. In case of troubles or persistent symptoms, consult an ophthalmologist.



according to UK REACH Regulation

## VAICO Bremsenreiniger 60L

Revision date: 16.05.2023

Product code: 1901041

Page 3 of 11

## After ingestion

Do NOT induce vomiting. Observe risk of aspiration if vomiting occurs. Call a physician in any case!

## 4.2. Most important symptoms and effects, both acute and delayed

Headache, nausea, dizziness, fatigue, skin irritation

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Call a POISON CENTER. Symptoms can occur only after several hours.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

## Suitable extinguishing media

Water fog. Foam. Carbon dioxide (CO2). Extinguishing powder.

#### Unsuitable extinguishing media

High power water jet.

#### 5.2. Special hazards arising from the substance or mixture

Incomplete combustion and thermolysis gases of different toxicity can occur. In the case of hydrocarbonaceous products such as CO, CO2, aldehydes and soot. These can be very dangerous if they are inhaled in high concentrations or in enclosed spaces.

#### 5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Move undamaged containers from immediate hazard area if it can be done safely. In case of fire: Wear self-contained breathing apparatus.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Wear breathing apparatus if exposed to vapours/dusts/aerosols. Remove all sources of ignition. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protection equipment.

## For non-emergency personnel

First aider: Pay attention to self-protection!

## For emergency responders

Fight fire with normal precautions from a reasonable distance.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Ensure all waste water is collected and treated via a waste water treatment plant.

### 6.3. Methods and material for containment and cleaning up

## For containment

Prevent spread over a wide area (e.g. by containment or oil barriers).

## For cleaning up

Clean contaminated articles and floor according to the environmental legislation.

#### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Clean contaminated articles and floor according to the environmental legislation.

### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling



according to UK REACH Regulation

## VAICO Bremsenreiniger 60L

Revision date: 16.05.2023

Product code: 1901041

Page 4 of 11

## Advice on safe handling

Observe instructions for use.

Dust must be exhausted directly at the point of origin. Vapours/aerosols must be exhausted directly at the point of origin. If local exhaust ventilation is not possible or not sufficient, the entire working area should be ventilated by technical means.

When using do not eat, drink, smoke, sniff.

Wear personal protection equipment (refer to section 8).

### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

#### Advice on general occupational hygiene

Avoid exposure. Wear suitable protective clothing. Draw up and observe skin protection programme.

#### Further information on handling

Avoid contact with skin and eyes.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed. Observe legal regulations and provisions.

#### Hints on joint storage

Do not store together with: Oxidizing agents. Pyrophoric or self-heating substances. Food and feedingstuffs.

## Further information on storage conditions

Store in a cool dry place. Observe legal regulations and provisions.

#### 7.3. Specific end use(s)

Cleaner

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

## DNEL/DMEL values

CAS No	Substance					
DNEL type		Exposure route	Effect	Value		
	Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5%	n-hexane				
Worker DNEL,	long-term	inhalation	systemic	2035 mg/m³		
Worker DNEL,	Worker DNEL, long-term dermal systemic 773 mg/kg bw/day					
Consumer DN	EL, long-term	inhalation	systemic	608 mg/m³		
Consumer DN	EL, long-term	dermal	systemic	699 mg/kg bw/day		
Consumer DN	EL, long-term	oral	systemic	699 mg/kg bw/day		

#### Additional advice on limit values

a no restriction

b End of exposure or end of shift

c at long-term exposure:

d before next shift

blood (B) Urine (U)

## 8.2. Exposure controls

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Individual protection measures, such as personal protective equipment



according to UK REACH Regulation

## VAICO Bremsenreiniger 60L

Revision date: 16.05.2023

Product code: 1901041

Page 5 of 11

## Eye/face protection

Suitable eye protection: Tightly sealed safety glasses. EN 166

### Hand protection

Protect skin by using skin protective cream. When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Suitable material: NBR (Nitrile rubber) Breakthrough time: 480min Thickness of the glove material 0,45 mm

# EN ISO 374

## Skin protection

Wear suitable protective clothing. Take off immediately all contaminated clothing and wash it before reuse.

## **Respiratory protection**

Wear breathing apparatus if exposed to vapours/dusts/aerosols. When exceeding the relevant workplace exposure limits, note the following: Suitable respiratory protective equipment: Combination filter device (DIN EN 141).. Filtering device with filter or ventilator filtering device of type: A Observe the wear time limits as specified by the manufacturer. Observe legal regulations and provisions.

#### **Environmental exposure controls**

Observe legal regulations and provisions.

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state:	liquid	
Colour:	colourless	
Odour:	characteristic	
		Test method
Melting point/freezing point:	not determined	
Boiling point or initial boiling point and	88 °C	
boiling range:		
Flammability:	not applicable	
	not applicable	
Lower explosion limits:	1 vol. %	
Upper explosion limits:	8 vol. %	
Flash point:	-12 °C	ISO 3679
Decomposition temperature:	not determined	
pH-Value (at 20 °C):		DIN 19268
Viscosity / kinematic:	< 7 mm²/s	DIN EN ISO 3104
(at 40 °C)		
Water solubility:	The study does not need to be conducted	
	because the substance is known to be	
	insoluble in water.	
Partition coefficient n-octanol/water:	not determined	
Density (at 20 °C):	0,714 g/cm³	DIN 51757
Relative vapour density:	not determined	
9.2. Other information		
Information with regard to physical haza	ard classes	
Self-ignition temperature		
Solid:	not applicable	



according to UK REACH Regulation

VAICO Bremsenreiniger 60L						
Revision date: 16.05.2023	Product code: 1901041	Page 6 of 11				
Gas: Oxidizing properties Not oxidising.	not applicable					
Other safety characteristics Evaporation rate:	not determined					
Solid content: Viscosity / dynamic:	not determined	DIN 53019-1				
Flow time: (at 20 °C)		DIN EN ISO 2431				

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

Highly flammable

## 10.2. Chemical stability

The product is stable under normal conditions.

## 10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

#### 10.4. Conditions to avoid

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Take precautionary measures against static discharges.

## 10.5. Incompatible materials

Oxidizing agents. Pyrophoric or self-heating substances.

#### 10.6. Hazardous decomposition products

Incomplete combustion and thermolysis gases of different toxicity can occur. In the case of hydrocarbonaceous products such as CO, CO2, aldehydes and soot. These can be very dangerous if they are inhaled in high concentrations or in enclosed spaces.

#### **Further information**

Do not mix with other chemicals.

## **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in GB CLP Regulation

#### Toxicocinetics, metabolism and distribution

There are no data available on the mixture itself.

#### Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name						
	Exposure route	Dose	Species	Source	Method		
	Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane						
	oral	LD50 > 5000 mg/kg	Rat				
	dermal	LD50 > 2800 - 3100 mg/kg	Rat				
	inhalation (4 h) vapour	LC50 > 25,2 mg/l	Rat				

#### Irritation and corrosivity

Skin corrosion/irritation: Causes skin irritation.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.



according to UK REACH Regulation

## VAICO Bremsenreiniger 60L

Revision date: 16.05.2023

Product code: 1901041

Page 7 of 11

## Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

No indications of human carcinogenicity exist.

No indications of human germ cell mutagenicity exist.

No indications of human reproductive toxicity exist.

#### STOT-single exposure

May cause drowsiness or dizziness. (Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane)

## STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

May be fatal if swallowed and enters airways.

#### Information on likely routes of exposure

Ingestion, Inhalation, Skin contact, Eye contact. Reference to other sections: 2.1, 4.2.

## Specific effects in experiment on an animal

No information available.

## 11.2. Information on other hazards

## Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

### Other information

No information available.

## Further information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

## **SECTION 12: Ecological information**

## 12.1. Toxicity

Toxic to aquatic life with long lasting effects.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
	Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane						
	Acute fish toxicity	LC50 mg/l	> 1-10	96 h	Pimephales promelas		
	Acute algae toxicity	ErC50 mg/l	10 - 30	72 h	Pseudokirchneriella subcapitata	Study report (1995)	OECD Guideline 201
	Acute crustacea toxicity	EC50 mg/l	> 1-10	48 h	Daphnia magna		
	Fish toxicity	NOEC mg/l	2,045	28 d	Oncorhynchus mykiss	CONCAWE, Brussels, Belgium (2010)	
	Crustacea toxicity	NOEC	1 mg/l	21 d	Daphnia magna	SIDS Initial Assessment Report For SIAM	OECD Guideline 211

## 12.2. Persistence and degradability

The product has not been tested.



according to UK REACH Regulation

## VAICO Bremsenreiniger 60L

Revision date: 16.05.2023

Product code: 1901041

Page 8 of 11

CAS No	Chemical name						
	Method	Value	d	Source			
	Evaluation						
	Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane						
	OECD Guideline 301 F	98%	28				
	Easily biodegradable (concerning to the criteria of the OECD)						

#### 12.3. Bioaccumulative potential

The product has not been tested.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
	Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane	3,4 - 5,2

#### 12.4. Mobility in soil

The product has not been tested.

#### 12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of UK REACH.

The product has not been tested.

#### 12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms.

#### 12.7. Other adverse effects

No information available.

#### **Further information**

Avoid release to the environment.

#### **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

## **Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

#### List of Wastes Code - residues/unused products

070704 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fine chemicals and chemical products not otherwise specified; other organic solvents, washing liquids and mother liquors; hazardous waste

## List of Wastes Code - used product

070704 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fine chemicals and chemical products not otherwise specified; other organic solvents, washing liquids and mother liquors; hazardous waste

### List of Wastes Code - contaminated packaging

WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

## Contaminated packaging

150110

Water (with cleaning agent). Completely emptied packages can be recycled.

## **SECTION 14: Transport information**

### Land transport (ADR/RID)

14.1. UN number or ID number:	UN 1268	
14.2. UN proper shipping name:	PETROLEUM DISTILLATES, N.O.S.	
14.3. Transport hazard class(es):	3	



according to UK REACH Regulation

VAICO Bremsenreiniger 60L					
Revision date: 16.05.2023	Product code: 1901041	Page 9 of 11			
14.4. Packing group:	II				
Hazard label:	3				
Classification code:	F1				
Special Provisions:	640D ADR664				
Limited quantity:	1 L				
Excepted quantity:	E2				
Transport category:	2				
Hazard No:	33				
Tunnel restriction code:	D/E				
Inland waterways transport (ADN)					
14.1. UN number or ID number:	UN 1268				
14.2. UN proper shipping name:	PETROLEUM DISTILLATES, N.O.S.				
14.3. Transport hazard class(es):	3				
14.4. Packing group:	ll				
Hazard label:	3				
Classification code:	F1				
Special Provisions:	363 640D				
Limited quantity:	1 L				
Excepted quantity:	E2				
Marine transport (IMDG)					
<u>14.1. UN number or ID number:</u>	UN 1268				
14.2. UN proper shipping name:	PETROLEUM DISTILLATES, N.O.S. (Hydrocarbons, C6-C7, n-alkanes,				
14.3. Transport hazard class(es):	isoalkanes, cyclic, < 5% n-hexane) 3				
14.4. Packing group:	5 II				
Hazard label:	3				
Marine pollutant: Special Provisions:	yes				
Limited quantity:	- 1L				
Excepted quantity:	E2				
EmS:	F-E, S-E				
Air transport (ICAO-TI/IATA-DGR)					
14.1. UN number or ID number:	UN 1268				
14.2. UN proper shipping name:	PETROLEUM DISTILLATES, N.O.S.				
14.3. Transport hazard class(es):	3				
14.4. Packing group:	II				
Hazard label:	3				
Special Provisions:	A3				
Limited quantity Passenger:	1L				
Passenger LQ:	Y341				
Excepted quantity:	E2				
IATA-packing instructions - Passenger:	353				
IATA-max. quantity - Passenger:	5 L				
IATA-packing instructions - Cargo:	364				
IATA-max. quantity - Cargo:	60 L				
14.5. Environmental hazards					
ENVIRONMENTALLY HAZARDOUS:	Yes				
Danger releasing substance:	Hydrocarbons, C6-C7, n-alkanes, isoalkanes cyclic, < 5% n-hexane				
14.6. Special precautions for user Warning: Combustible liquid.					
14.7. Maritime transport in bulk according to IMO instruments					
not applicable					



according to UK REACH Regulation

## VAICO Bremsenreiniger 60L

Revision date: 16.05.2023

Product code: 1901041

Page 10 of 11

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## EU regulatory information

Restrictions on use (REACH, annex XVII):

## Entry 3, Entry 40

<b>J</b> = 1 <b>J</b> =	
Directive 2010/75/EU on industrial emissions:	No information available.
Directive 2004/42/EC on VOC in paints and varnishes:	No information available.
Information according to Directive 2012/18/EU (SEVESO III):	E2 Hazardous to the Aquatic Environment
Additional information:	P5c

## Additional information

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

## National regulatory information

Water hazard class (D):

#### 2 - obviously hazardous to water

#### **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 3,11,14.

## Abbreviations and acronyms

Flam. Liq: Flammable liquids Asp. Tox: Aspiration hazard Skin Irrit: Skin irritation STOT SE: Specific target organ toxicity - single exposure Aquatic Chronic: Chronic aquatic hazard ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) IATA: International Air Transport Association IMDG: International Maritime Code for Dangerous Goods GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL/DMEL: Derived No Effect Level / Derived Minimal Effect Level WEL: Workplace Exposure Limits TWA (EC): Time-Weighted Average ATE: Acute Toxicity Estimate ATEL (EC): Short Term Exposure Limit LC50: Lethal Concentration EC50:half maximal Effective Concentration ErC50: means EC50 in terms of reduction of growth rate Relevant H and EUH statements (number and full text) H225 Highly flammable liquid and vapour.

#### H304 May be fatal if swallowed and enters airways.

- H315 Causes skin irritation.
- H336 May cause drowsiness or dizziness.
- H411 Toxic to aquatic life with long lasting effects.



according to UK REACH Regulation

## VAICO Bremsenreiniger 60L

Revision date: 16.05.2023

Product code: 1901041

Page 11 of 11

## **Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.